

## TECHNICAL DATA SHEET

# COADIS™ 335 A

Dispersing agent for water-borne traffic paints

## Ionic Copolymer dispersant

### TYPICAL CHARACTERISTICS

Nature	<b>Polyacrylic acid in aqueous solution</b>
Appearance	<b>Pale yellow liquid</b>
Solid Content (%)	<b>36</b>
Active Content (%)	<b>36</b>
pH	<b>8</b>
Specific gravity	<b>1.18</b>
Neutralization type	<b>Ammonium</b>
Solvent	<b>Water</b>

### DESCRIPTION

Coadis™ 335 A has been especially designed to quickly and efficiently disperse the pigments and fillers commonly utilized in waterborne traffic paints.

### RECOMMENDED ADDITION LEVEL

The required level varies from 0.15% to 0.5% of active ingredients based on the total weight of paint formulations. It is recommended to disperse the pigments and fillers in a pH range between 8.5 and 9.5.

### STANDARD PACKAGING

Other packaging may be available upon request

- 1000L IBC
- 220L Drum
- Bulk

### HANDLING & STORAGE

It should be protected from the effects of weathering and stored between 5 and 40°C.

Once opened, packaging should be resealed immediately after use.

In these conditions, this product should be used within 12 months from delivery.

### HEALTH AND ENVIRONMENTAL DATA

For safe handling please refer to the Safety Data Sheet. For more information about health and environmental data, please contact us.

### MARKETS

#### Coatings & Inks

- Traffic Paint

### KEY BENEFITS

#### FORMULATION

- Compatibility
- Easy handling
- Ready to use



#### STORAGE

- Antisettling
- Viscosity stability
- Floating resistance
- Syneresis resistance



#### FILM PROPERTIES

- Hiding power/Opacity



#### SAFER SOLUTIONS

- APEO Free\*
- Heavy Metal Free\*
- Solvent Free\*

*\* Not intentionally added but not specifically measured (not part of product specification)*

### PVC

PVC Low

PVC Mid

PVC High



### SUITABLE FOR

Fillers  
Inorganic pigments  
Organic pigments



**Headquarters: Arkema France**  
51, Esplanade du Général de Gaulle  
92800 Puteaux – France  
T +33 (0)1 49 00 80 80