

TECHNICAL DATA SHEET

SYNOLAC® 9769 S 70 (Formerly CHEMPOL® 211-3369)

Oil free polyester

PRODUCT APPLICATION DETAILS

SYNOLAC® 9769 S 70 is an economical coil polyester used in exterior coatings for structural steel and aluminum, and also for coatings for office furniture, light fixtures, and appliances.

SALES SPECIFICATIONS

	CHARACTERISTICS	METHODS
Solid content	70 %	-
Viscosity	Z2-Z5 Gardner Holdt	-
Reduced viscosity (50% in Butoxyethanol)	J-M	-
Color	4 Gardner	-
Acid value	9 mg KOH/g	-

OTHER CHARACTERISTICS¹

	CHARACTERISTICS	METHODS
Solvent	A150/Butoxyethanol/Xylene 75/18.5/6.5	-
Density	9.1 lbs/gal	-
Hydroxyl content	1.1 %	-
Hydroxyl equivalent weight	1600	-

¹The data provided for these properties are typical values, intended only as guides, and should not be construed as sales specifications

MARKETS

Coatings & Inks

- Industrial Coating
- Coil

PERFORMANCE BENEFITS

- Structural Steel Coatings
- Aluminum Coatings
- Appliance Coatings
- Metal Office Furniture

SYNOLAC® 9769 S 70 (Formerly CHEMPOL® 211-3369)

PRODUCT SAFETY

Please refer to the corresponding Safety Data Sheet.

STORAGE AND HANDLING

SYNOLAC® 9769 S 70 - Packaged products should be stored in a dry indoor location. The material should be stored in the original, unopened and undamaged container at storage temperatures not exceeding 85° F (30° C). Exposure to direct sunlight should be avoided. For assistance with the best practices for bulk shipment storage and handling contact Arkema.

Arkema Coating Resins
410 Gregson Dr.
Cary, NC 27511 – USA
T +1 919 469 6700

Headquarters: Arkema France
51, Esplanade du Général de Gaulle
92800 Puteaux – France
T +33 (0)1 49 00 80 80

Disclaimer - Please consult Arkema's disclaimer regarding the use of Arkema's products on <https://www.arkema.com/global/en/products/product-safety/disclaimer/> which is incorporated herein by reference and made a part hereof.

Arkema France, a French société anonyme registered at the Trade and Companies Register of Nanterre under the number 319 632 790

ARKEMA